

## DECLARATION OF PERFORMANCE

in accordance with EU Construction Products Regulation (CPR) no 305/2011 and Commission Delegated Regulation (EU) No 574/2014

No. DoP-RS-tec D-flex 003 [EN]

1. *Unique identification code of the product-type:*

tec D-flex 003 (weber.tec D-flex) Masa za hidroizolaciju

2. *Intended use/s:*

ONE COMPONENT, HIGHLY FLEXIBLE, WATERPROOFING COATING

3. *Manufacturer:*

Saint-Gobain građevinski proizvodi d.o.o. Beograd  
Bulevar Mihajla Pupina 115d, 5. sprat  
11070 Novi Beograd  
Serbia  
<https://www.rs.weber>

4. *Authorised representative:*

Not applicable

5. *System/s of AVCP:*

AVCP system 3

6. *Harmonised standard:*

EN 14891:2012

Notified body 1: 1020 - Technical and Test Institute for Construction Prague – Branch České Budějovice

7. *Declared performance/s:*

Essential characteristics	Performance
Initial tensile adhesion strength	≥0,5 N/mm <sup>2</sup>
Waterproofing	vodonepropustan
Crack-bridging ability	≥0,75 mm
Crack-bridging at low temperature	≥0,75 mm
Crack-bridging at very low temperature	NPD
Tensile adhesion strength after heat ageing	≥0,5 N/mm <sup>2</sup>
Tensile adhesion strength after water immersion	≥0,5 N/mm <sup>2</sup>
Tensile adhesion strength after contact with lime water	≥0,5 N/mm <sup>2</sup>
Tensile adhesion strength after freeze-thaw cycles	≥0,5 N/mm <sup>2</sup>
Tensile adhesion strength after contact with chlorinated water	≥0,5 N/mm <sup>2</sup>
Dangerous substances	NPD

8. *Appropriate Technical Documentation and/or Specific Technical Documentation:*

Number of Document: 1020-CPR-020033164

Requirements: Not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Saint-Gobain građevinski proizvodi  
d.o.o. Beograd  
Novi Beograd

02-02-2024 - 10:03

At .....

(Place)

On .....

(Date of issue)

Danijela Ajdukovic  
Technology Engineer



.....  
(Name)